

Amendments to the Claims:

1-20. (Cancelled)

21. (Previously Presented) The apparatus according to claim 38, where a native language package is set for each language.

22. (Previously Presented) The apparatus according to claim 38, where the language selected for the first user interface is selected as a device control user interface language, and where the language selected for the second user interface is selected as a graphical user interface language.

23. (Previously Presented) The apparatus according to claim 38, wherein the at least one memory and stored computer program code are configured, with the at least one processor, to cause the apparatus to determine one or more language packages by accessing a look-up table.

24. (Previously Presented) The apparatus according to claim 23, where voice user interface language and user interface language combinations are arranged in the look-up table, where one of the plurality of language packages that is suitable for selection for each voice user interface language and user interface language combination is linked.

25. (Previously Presented) The apparatus according to claim 38, where said apparatus is embodied as a mobile station.

26. (Canceled).

27. (Previously Presented) The method of claim 39, wherein the first user interface comprises a device control user interface and the second user interface comprises a graphical user interface.

28. (Canceled).

29. (Previously Presented) The method according to claim 39, where a native-language package is set for each language.

30. (Previously Presented) The method according to claim 39, wherein determining one or more language packages comprises accessing a look-up table and determining one or more language packages based on the look-up table.

31. (Previously Presented) The method according to claim 30, where voice user interface language and user interface language combinations are arranged in the look-up table, where one of the plurality of language packages that is suitable for selection for each voice user interface language and user interface language combination is linked.

32. (Canceled).

33. (Previously Presented) The computer program product according to claim 40, wherein the first user interface comprises a device control user interface and the second user interface comprises a graphical user interface.

34. (Canceled)

35. (Previously Presented) The computer program product according to claim 40, wherein the program instructions configured to determine one or more language packages comprise program instructions configured to determine one or more language packages by accessing a look-up table.

36. (Previously Presented) The computer program product according to claim 35, where voice user interface language and user interface language combinations are arranged in the look-up table, where one of the plurality of language packages that is suitable for selection for each voice user interface language and user interface language combination is linked.

37. (Currently Amended) The computer program product according to claim ~~[[32]]~~ 40, embodied in a mobile device having wireless communication capability.

38. (Currently Amended) An apparatus comprising at least one processor and at least one memory storing computer program code, wherein the at least one memory and stored computer program code are configured, with the at least one processor, to cause the apparatus to at least:

determine a language selected for a first user interface;

determine, based at least in part on the language selected for the first user interface, one or more language packages associated with the language selected for the first user interface, the one or more language packages being determined from among a plurality of available language packages, each of said plurality of language packages having associated therewith a plurality of languages, where at least some of said plurality of languages are associated with more than one of said plurality of language packages;

when in an instance in which only one language package is determined to be associated with the language selected for the first user interface:

select the determined language package for use by a speech recognition system;

and

when in an instance in which multiple language packages are determined to be associated with the language selected for the first user interface:

determine a language selected for a second user interface; and
select one of the determined language packages based on the language selected for the first user interface and the language selected for the second user interface for use by the speech recognition system.

39. (Currently Amended) A method comprising:

determining a language selected for a first user interface;

determining, based at least in part on the language selected for the first user interface, one or more language packages associated with the language selected for the first user interface, the one or more language packages being determined from among a plurality of available language packages, each of said plurality of language packages having associated therewith a plurality of languages, where at least some of said plurality of languages are associated with more than one of said plurality of language packages;

when in an instance in which only one language package is determined to be associated with the language selected for the first user interface:

selecting, by a processor, the determined language package for use by a speech recognition system; and

when in an instance in which multiple language packages are determined to be associated with the language selected for the first user interface:

determining a language selected for a second user interface; and

selecting, by the processor, one of the determined language packages based on the language selected for the first user interface and the language selected for the second user interface for use by the speech recognition system.

40. (Currently Amended) A computer program product comprising at least one ~~tangible non-transitory~~ computer-readable storage medium having computer-readable program instructions stored therein, the computer-readable program instructions comprising:

program instructions configured to determine a language selected for a first user interface;

program instructions configured to determine, based at least in part on the language selected for the first user interface, one or more language packages associated with the language selected for the first user interface, the one or more language packages being determined from among a plurality of available language packages, each of said plurality of language packages having associated therewith a plurality of languages, where at least some of said plurality of languages are associated with more than one of said plurality of language packages;

program instructions configured, ~~when~~ in an instance in which only one language package is determined to be associated with the language selected for the first user interface, to:

select the determined language package for use by a speech recognition system;

and

program instructions configured, ~~when~~ in an instance in which multiple language packages are determined to be associated with the language selected for the first user interface, to:

determine a language selected for a second user interface; and

select one of the determined language packages based on the language selected for the first user interface and the language selected for the second user interface for use by the speech recognition system.

41. (New) The apparatus according to claim 38, wherein at least one of the one or more language packages has associated therewith a plurality of languages characteristic of a particular geographical region.

42. (New) The method according to claim 38, wherein at least one of the one or more language packages has associated therewith a plurality of languages characteristic of a particular geographical region.